

REQUEST FOR PROPOSALS

Solicitation #: 2024-11-03 Jean Dean Public Safety Building Roof Repair

The City of Huntington West Virginia is soliciting proposals from licensed contractors for roof repair work at the Jean Dean Public Safety Building located at 675 10th Street Huntington WV 25701. Exact measurements of the roof are to be taken by the vendors attending the mandatory site visit.

A mandatory site visit will be conducted on Tuesday December 10th, 2024 at 10:00 am local time at 675 10th Street. All questions shall be submitted through Bidexpress.com and must be submitted by 10:00 am local time on Friday December 13th, 2024.

City of Huntington will accept proposals for providing the roof replacement until 10:00 am on Wednesday December 18th, 2024. All proposals must be submitted through bidexpress.com. At that time, electronic proposals will be opened at City Hall, 800 5th Ave, Room 135, Huntington, WV. All responsive bids will be accepted with the lowest bidder being awarded the solicitation.

Specifications

BASE TIE-IN FAILURE REPAIR – Approximately 430 LF

1. Remove ballast and set aside for re-use
2. Remove and dispose of torn, bridging and deteriorated EPDM at wall and curb flashing
3. Install Reinforced perimeter fastening strip (RUSS)
4. Install new EPDM rubber membrane
5. Adhere new EPDM flashing to field sheet
6. Re-distribute ballast.

Questions in regards to the use of BidExpress may be directed to Dan Underwood, Purchasing Director, by email to dunderwood@huntingtonwv.gov or by phone at 304.696.5540 ext. 2015.